

PROGRESS 8, 17

MODEL	PROGRESS 8	PROGRESS 17
Supply Voltage	230V 50/60Hz	230V 50/60Hz
Absorbed Power	70	280
Charge Voltage	6 - 12	12 - 24
Charge Current	5	11
Conventional Current	3, 5	8, 5
Nominal Capacity to refer to	35	85
Charge Current Regulation	-	2
Size	200 x 155 x 118	250 x 200 x 165
Carton Size	205 x 180 x 130	265 x 230 x 195
Weight	2,4	5
Cod.	99000033	99000035



Semi-professional, easy to use battery chargers ideal for agriculture and small building firms. Equipment with voltage selector, current regulator, ammeter, thermal protection with manual reset, against overcharging and polarity inversion.

ARTIK 22

MODEL	ARTIK 22
Supply Voltage	230V 50/60Hz
Absorbed Power	260
Charge Voltage	12 - 24
Charge Current	15
Conventional Current	10
Nominal Capacity to refer to	100
Charge Current Regulation	4
Size	215 x 230 x 295
Carton Size	230 x 275 x 330
Weight	8,6
Cod.	99000028



Portable battery charges with sheet metal housing suitable for a variety of sectors: agriculture, D.I.Y., small workshops. Equipped with ammeter, automatic thermal protection against overcharging and polarity inversion, battery voltage selector, and charging control.

PROGRESS 25, 35, 35b

Professional battery chargers suitable for large recharging plants, car repairers and industrial use. Equipped with ammeter, voltmeter (PROGRESS 35-35b), automatic thermal protection with manual reset, voltage and charging current selectors. Supplied with charging accessories.



MODEL	PROGRESS 25	PROGRESS 35	PROGRESS 35b
Supply Voltage	230V 50/60Hz	230V 50/60Hz	230V 50/60Hz
Absorbed Power	620	800	1600
Charge Voltage	6 - 12 - 24	6 - 12 - 24	6 - 12 - 24 - 36 - 48
Charge Current	22	35	35
Conventional Current	17	25	25
Nominal Capacity to refer to	170	250	250
Charge Current Regulation	6	12	12
Size	250 x 245 x 435	250 x 245 x 435	250 x 245 x 435
Carton Size	285 x 280 x 470	285 x 280 x 470	285 x 280 x 470
Weight	12, 2	18	23, 2
Cod.	99000031	99000032	99000040

SPRINT CAR 640

MODEL	SPRINT CAR 640
Supply Voltage	230V 50/60Hz
Absorbed Power	1400
Charge Voltage	12 - 24
Charge Current	50
Conventional Current	40
Starting Current	550
Demarrage Moteurs Diesel	90
Nominal Capacity to refer to	400
Charge Current Regulation	6+BOOST
Size	483 x 320 x 745
Carton Size	710 x 395 x 330
Weight	30
Cod.	99010022

Professional battery chargers and starters available on wheels with handle for easy transport. SPRINT CAR 540 and 640 models are equipped with timer for quick charging, internal fuse protection against short circuits and polarity inversion. All models are supplied with cables and clamps.



RAPID 460

MODEL	RAPID 460
Supply Voltage	230V 50/60Hz
Absorbed Power	950
Charge Voltage	12 - 24
Charge Current	30
Conventional Current	25
Starting Current	430
Demarrage Moteurs Diesel	70
Nominal Capacity to refer to	260
Charge Current Regulation	6+BOOST
Size	250 x 245 x 435
Carton Size	285 x 280 x 470
Weight	20
Cod.	99005020

Portable battery chargers and starters, ideal for agriculture, car workshop, small business concerns and domestic use. Equipped with ammeter, charging current control selector, thermostatic protection against prolonged starts, internal fuse protection against shorts, internal fuse protection against short circuits and polarity inversion. All models are supplied with cables and clamps.

